

Page 1 of 5 SDS-E-MSC-504

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

	1. PRODUCT & COMPANY IDENTIFICATION													
1.1	Product Name:		ARINE SCR											
1.2	Chemical Name:	NA												
1.3	Synonyms:	CAIG Brand	Marine Screen Cl	eaner										
1.4	Trade Names:	CAIG Brand Marine Screen Cleaner (MSC-504-08 and MSC-504-128)												
1.5	Product Use:	Electronics C	leaner											
1.6	Distributor's Name:	CAIG Laborat												
1.7	Distributor's Address:	12200 Thatch	er Court, Poway	, CA 92064-68	376 USA									
1.8	Emergency Phone:		C: +1 (703) 5	27-3887 / ·	+1 (800)	424-9	9300	(CCN	I XXX	(XX)				
1.9	Business Phone / Fax:	+1 (800) 224-	4123											
			2 HA	ZARDS I		FICA		N						
2.1	Hazard Identification:	This product	is NOT classifi									600	DS 20	ording to the
			criteria of NOHS						as Di		ROUG	000	DS act	Jording to the
			CAUSES EYE IR		, and , 12 c		(,							
		Classification												
2.2	Label Elements:	Hazard State	ments (H): H320	<ul> <li>Causes eye</li> </ul>	e irritation.									
			<u>v Statements</u> (P)											
			cautiously with w										У	
2.3	Other Warnings:		ue rinsing. P337		e irritation	persist	s: Get	medic	al advi	ce/att	ention.			
2.0	Other Warnings.	KEEP OUT C	F REACH OF C	HILDREN.										
		3. C(	OMPOSITIO	ON & ING		NT	INFC	ORM		DN				
											MITS IN	AIR (mg	/m³)	
						AC	GIH		NOHSC			OSHA		
						pp	m		ppm			ppm		
CHEMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
		7732-18-5	ZC0110000	231-191-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	UTIER
WATE	R	1102 10 0	200110000	201 101 2	00 100									
	RIETARY MIXTURE	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
FROF	RETART WIATURE	Eye Irrit. 2B	H320											
				IRST AI										
4.1	First Aid:	Ingestion:	If ingested, do											
			IMMEDIATELY.											
			estimate of the											
			swallowed.					J						
		Eyes:	Splashes are no								ith co	pious a	amount	of lukewarm
		Obie	water for at leas								1			. <b>f f f</b>
		<u>Skin</u> :	Wash thoroughly least 15 minutes		nd water. I	n case	ot cor	ntact, Ir	nmeai	ately	iusn s	kin witr	i pienty	of water for at
		Inhalation:	Remove victim t		once If br	eathing	ı difficı	ult adn	niniste	r oxva	en lf	breath	ina stor	s aive
			artificial respirat											- 3
4.2	Effects of Exposure:	Ingestion:	If product is swa	llowed, may o	ause naus	ea, vo	miting	and/or	diarrh	ea.				
		Eyes:	Moderately irrita	iting to the ey	ves. Symp	toms o	of over	rexposi	ure ma	iy incl	ude re	dness,	itching	, irritation and
			watering.											
		<u>Skin:</u>	May be irritating		product c	an cau	ise alle	ergic sl	kin rea	ctions	e.g.,	rashes	s, welts	dermatitis) in
		Inholation	some sensitive i	ndividuals.										
4.3	Symptoms of Overexposure:	Inhalation:	None expected. Nausea, intestin	al diacomfort	vomiting	nd/or	diorrho							
		Ingestion:	Overexposure in						rina					
		<u>Eyes</u> : Skin:	Symptoms of sk							nd irri	tation	of affe	cted an	aas Erosthite
		<u>38111</u> .	like symptoms.											
			individuals.		Jun Judo		910 34	ioac		(J.g.,	1001100	, wort	, aonn	
4.4	Acute Health Effects:		when used as								affecte	d area	is. Ad	ditionally, high
A F	Chronic Health Effects:		s of vapors can o											
4.5														
		-			•	-								



Page 2 of 5 SDS-E-MSC-504

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

	4. FIRST AID MEASURES – cont'd											
4.6	Target Organs:	Eyes, Skin										
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skir	n conditic	ons, and	disorders	of the	HEALT	н				1
	, iggi araida by Expectato.	target organs (eyes, skin).					FLAMM	ABILIT	Y			0
							PHYSIC	AL HAZ	ZARDS			0
							PROTE	CTIVE E		IENT		В
							EYES	SKIN				
		5. FIREF	FIGHT	ING N	IEASU	RES						
5.1	Fire & Explosion Hazards:	This product is not flammable. He temperatures to form toxic gases (			l in a fire,	this prod	uct may d	ecompos	e at higl	n		
5.2	Extinguishing Methods:	Water, Foam, CO <sub>2</sub> , Dry Chemical. Use water spray to cool unopened containers.										
5.3	Firefighting Procedures:	Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.										
	Γ	6. ACCIDEN										
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. <u>Small Spills</u> : Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.										
		done with minimarnisk. Wear app	iopriate p	notective	equipitiei	it incluui	ig respirat	ory prote	cilon as	conditio	115 Wai	iant.
		7. HANDLING	& STC	RAG	E INFC	DRMA	TION					
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when container(s). When used as inter contact is possible. Wash uninten	n handlin nded, no	g this p addition	roduct. C al protectiv	ontents u ve equipr	under pre ment is ne	ssure. I ecessary.	Handle a Use ch	ns to av nemical	oid pu goggle	ncturing es if eye
7.2	Storage & Handling:	Use and store in a cool, dry, we sunlight. Avoid temperatures abou damage. To avoid unintentional s	ll-ventilate ve 120 °F	ed locati . Keep a	on (e.g., lo away from	ocal exha incompat	aust ventil ible subst					
7.3	Special Precautions:	Clean all spills promptly. Spilled n										
	1	8. EXPOSURE CONT					ROTEC	TION				
8.1	Exposure Limits: ppm (mg/m <sup>3</sup> )		ACC	SIH		NOHSC ES-	ES-		OSHA		OTHE	र
	ppm (mg/m)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	STEL	PEAK	PEL	STEL	IDLH		
8.2	Ventilation & Engineering	NA When working with large guantities	NA	NA Int. provi	NF do odoguo	NF to vontile	NF	NA local avt	NA	NA	forc	Enguine
0.2	Controls:	When working with large quantities that an eyewash station, sink or wa							iaust ver	mation,	ians).	⊏nsure
8.3	Respiratory Protection:	No special respiratory protection necessary, use only respiratory	that an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia									
8.4	Eye Protection:	glasses with side-shield) at all tir product. Always use protective e	AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.									
8.5	Hand Protection:	None required under normal cond individuals. When handling large plastic gloves.										
8.6	Body Protection:	However, no special body protec necessary, refer to appropriate sta								ng. If		



Page 3 of 5 SDS-E-MSC-504

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Milky white liquid
9.2	Odor:	No odor
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling	NA
9.7	Range: Flashpoint:	
9.7 9.8	Upper/Lower Flammability	NA
	Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.1	Hazardous Decomposition	
10.2	Products:	Oxides of carbon (CO, CO <sub>2</sub> ).
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product and is not presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductiv harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
10		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fata to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Products covered by this SDS, in their original form, when disposed as waste, are considered non hazardous was
	Theore Diopodal.	according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and feder
		regulations. Dispose of in accordance with federal, state and local regulations.



Page 4 of 5 SDS-E-MSC-504

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1

		14. TRANSPORTATION INFORMATION
The	basic description (ID Num	per, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional
		required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	NA
15.5	Other Federal Requirements:	NA
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive
45.0		harm. For more information go to <u>www.P65Warnings.ca.gov.</u>
15.8	Other Requirements:	NA
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes.
10.1	outer mornator.	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. <b>KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.</b>
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	CAIG Laboratories, Inc.         12200 Thatcher Court         Poway, CA 92064-6876         Tel: +1 (800) CAIG-123 (244-4123)         Fax: +1 (858) 486-8398 fax         http://www.caig.com/
16.5	Prepared by:	ShipMate, Inc.         P.O. Box 787         Sisters, Oregon 97759-0787 USA         Tel: +1 (310) 370-3600         Fax: +1 (310) 370-5700         http://www.shipmate.com



Page 5 of 5 SDS-E-MSC-504

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.1 SI

SDS Revision Date: 11/1/2018

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

#### FIRST AID MEASURES:


stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.		Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxveen to the body.
--	--	--

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

## HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

## PERSONAL PROTECTION RATINGS:



#### OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

# NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

### HAZARD RATINGS:

0	Minimal Hazard	FL
1	Slight Hazard	r.
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	,
W	Use No Water	HE
ох	Oxidizer	
TREEOII	Radioactive	



### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
тс	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

## WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٨		(†			
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment