

Page 1 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

	1. PRODUCT & COMPANY IDENTIFICATION													
1.1	Product Name:		® SHIELD	S-SERIES	5 SN5,	5%	SPR	RAY,	NO	N-Fl	LAM	MAE	BLE,	
1.2	Chemical Name:	NA												
1.3	Synonyms:		DeoxIT® Shield S-Series 5% Spray; PN SN5S-6N and SN5S-2N (mini-spray)											
1.4	Trade Names:		DeoxIT® Shield S-Series 5% Spray; PN SN5S-6N (163 grams), PN SN5S-2N (40 grams)											
1.5	Product Use:		d Protectant for e							0				
1.6	Distributor's Name:	CAIG Labora												
1.7	Distributor's Address:		her Court, Powa											
1.8	Emergency Phone:	CHEMTR	EC: +1 (703)	<u>527-3887 / -</u>	+1 (800)	424-	9300	(CCI	N205	206)				
1.9	Business Phone / Fax:	+1 (800) 224	-4123											
	I	•		ZARDS I			-							
2.1	Hazard Identification:		is classified as a				and as	DANG	ERO	JS GO	ODS	accord	ing to th	e classification
			DHSC: 1088 (200											
			PRESSURIZED n: Aerosols 3, Ey		MAY BU	RSTIF	HEA	ED. C	AUS	ES EY	EIRR	TATIC	JN.	
2.2	Label Elements:		<u>ements</u> (H): H22		d contain	or mo	v hure	t if ho	atad	L1320	Cal	10.00	VO	
		irritation.	<u>emenis</u> (n). n22	9 – Flessunze	u contain	er, ma	y burs	t ii ne	aleu.	п320	– Cal	lses e	ye	
			y Statements (P	): P210 – Keer	o away fro	m hea	t, hot :	surface	e, spai	rks, op	en fla	mes ar	nd	
		other ignition	n sources. No si	noking. P251	– Do not	pierce	or bur	n, eve	n afte	r use.	P264	– Was	sh	
			fter handling. P											
			emove contact le sist: Get medical											
			m sunlight. Do r											
			container to a lice								501 -	ызро	30	
2.3	Other Warnings:		OF REACH OF O		<u> </u>	1				/				
		3. C	<b>OMPOSITI</b>	ON & ING	REDIE	ENT	INF	ORM	IATI	ON				
								-			IMITS IN	I AIR (m	g/m³)	
						AC	GIH	NOHSC			OSHA			
						р	pm		ppm			ppm	1	_
СНЕМІ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
	TICE® PF	102687-65	-0 NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
3013			g. No. 01-2119855		-,	1			1					
	PENE, 1,3,3,3-	29118-24-9		NA	15-30	NA	NA	NF	NF	NF	NA	NA	NA	
	AFLUORO-, (1E)		g. No. 01-0000019		07					NE	45			
	IT ® SHIELD S100L DE SECRET)		NA g. No. Non-hazardo	NA	3-7	NA	NA	NF	NF	NF	15	NA	NA	
	JE SECKET)	REACH RE	g. No. Non-nazardo	bus/Proprietary										
			4.	FIRST AII	) MEA	SUR	RES							
4.1	First Aid:	Ingestion:	If ingested, do											
														er or milk to an
			unconscious pe estimate of the											
			swallowed.			lienai	was II	igested	u anu	uie a	mourn			ance mai was
		Eyes:	Splashes are n	ot likely. howe	ver mist n	nav cai	use irri	tation	If pro	duct a	ets in	the eve	es mav	cause irritation.
		<u></u> .	flush with cop											
			occasionally. I	f irritation persi	sts repeat	flushir	ng. Ge	t medi	cal att	ention		0	••	
		<u>Skin</u> :	Wash thorough											
			least 15 minute					gently	/ warn	ning af	fected	area.	If irritat	ion, redness or
		Inhelation	swelling persist										Vereire	
		Inhalation:	Remove victim cause central n											
			heartbeat acco											
			headedness, w		•	•				•	<u>э</u> , чр			, -
4.2	Effects of Exposure:	Ingestion:	If product is sw											
		Eyes:	Moderately irrit								lude r	edness	s, itchin	g, irritation and
			watering.	J	- ,					,			,	<i>,</i>
		<u>Skin:</u>	May be irritatin	g to skin. The	product of	can ca	use all	ergic s	skin re	action	s (e.g.	, rashe	es, welts	s, dermatitis) in
			some sensitive	individuals.							2			
		Inhalation:	Gross overexp											
			drowsiness, in											art thumping,"
	apprehension, light-headedness, weakness, fainting, loss of consciousness, and death.													



Page 2 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3 SDS F

4.3	Symptoms of Overexposure:	Symptoms of Overexposure: Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering.						
		Skin: Symptoms of skin overexposure may include redness,	5	as Frosthi				
		like symptoms. The product can cause allergic skin individuals.						
		Inhalation: Gross overexposure may cause central nervous system drowsiness, irregular heartbeat accompanied by a	strange feeling in the chest, "hea					
.4	Acute Health Effects:	apprehension, light-headedness, weakness, fainting, los						
	Addie Health Eneola.	Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Frostbite like effect to skin.						
1.5	Chronic Health Effects:	Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.						
1.6	Target Organs:	Eyes, Skin, Respiratory System.						
.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system).	HEALTH	1				
		target organs (eyes, skin, and respiratory system).	FLAMMABILITY	1				
			PHYSICAL HAZARDS	0				
			PROTECTIVE EQUIPMENT	B				
			EYES SKIN					
		5. FIREFIGHTING MEASURES						
5.1	Fire & Explosion Hazards:	Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures ab containers to prevent possible bursting. Aerosols may be projectile aerosols are bursting, stay clear until bursting is complete. This However, if involved in a fire, this product may decompose at high gases (e.g., CO, Hydrogen Fluoride).	e hazards when bursting. If s product is not flammable.					
5.2	Extinguishing Methods:							
	Firefighting Procedures:	Water, Foam, CO <sub>2</sub> , Dry Chemical. Use water spray to cool unopened Fight fires as for surrounding materials. As in any fire, wear N	/ISHA/NIOSH approved self-	0				
	Firefighting Procedures:		ISHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of rom entering sewers, drains, use full bunker gear including us to protect against potential	0				
5.3	Firefighting Procedures:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into sto danger of boil-over. Prevent runoff from fire control or dilution from drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu	ISHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of rom entering sewers, drains, use full bunker gear including us to protect against potential incies.	0				
5.3	Firefighting Procedures:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into stor danger of boil-over. Prevent runoff from fire control or dilution fredrinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatul hazardous combustion or decomposition products and oxygen deficier	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.g way from sp se if it can l				
		Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into std danger of boil-over. Prevent runoff from fire control or dilution fir drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatus hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Sweet plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oill or release. Isolate immediate hazard area and keep unauthorized per	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.ç way from sp se if it can l				
5.3		Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into std danger of boil-over. Prevent runoff from fire control or dilution fir drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and al <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include the product of the source of	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including us to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.c way from sp se if it can s warrant. id puncturii				
5.3	Spills:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into sto danger of boil-over. Prevent runoff from fire control or dilution fr drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill clea Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include <b>7. HANDLING &amp; STORAGE INFORMA</b> Do not eat, drink or smoke when handling this product. Contents container(s). When used as intended, no additional protective equip contact is possible. Wash unintentional residues with soap and warm Use and store in a cool, dry, well-ventilated location (e.g., local ext sunlight. Avoid temperatures above 120 °F. Keep away from incompa	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.g way from sp se if it can l s warrant. id puncturin oggles if e				
5.3	Spills: Work & Hygiene Practices:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into std danger of boil-over. Prevent runoff from fire control or dilution fridrinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include the solution of release. Solate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include <b>7. HANDLING &amp; STORAGE INFORMA</b> Do not eat, drink or smoke when handling this product. Contents container(s). When used as intended, no additional protective equipment used as intended is a cool, dry, well-ventilated location (e.g., local extremely and store in a cool, dry, well-ventilated location (e.g., local extremely	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.g way from sp se if it can l s warrant. id puncturin oggles if e				
5.3	Spills: Work & Hygiene Practices: Storage & Handling:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into std danger of boil-over. Prevent runoff from fire control or dilution fridrinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatus hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include <b>7. HANDLING &amp; STORAGE INFORMA</b> Do not eat, drink or smoke when handling this product. Contents container(s). When used as intended, no additional protective equip contact is possible. Wash unintentional residues with soap and warm Use and store in a cool, dry, well-ventilated location (e.g., local exf sunlight. Avoid temperatures above 120 °F. Keep away from incompa damage. To avoid unintentional spraying keep cap in place when not Clean all spills promptly.	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.c way from sp se if it can l s warrant. id puncturin oggles if e				
5.3 5.1 7.2 7.3	Spills: Work & Hygiene Practices: Storage & Handling:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into sto danger of boil-over. Prevent runoff from fire control or dilution fr drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include <b>D</b> o not eat, drink or smoke when handling this product. Contents container(s). When used as intended, no additional protective equip ucntact is possible. Wash unintentional residues with soap and warm Use and store in a cool, dry, well-ventilated location (e.g., local ext sunlight. Avoid temperatures above 120 °F. Keep away from incompa damage. To avoid unintentional spraying keep cap in place when not	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including is to protect against potential ncies.	arge spills. -combustib Do not us aterials (e.c way from sp se if it can l s warrant. id puncturin oggles if e				
6.1	Spills:         Work & Hygiene Practices:         Storage & Handling:         Special Precautions:	Fight fires as for surrounding materials. As in any fire, wear M contained breathing apparatus (pressure-demand) and full protective until well after the fire is out. Use water spray to cool fire-expose personal. Fight fire upwind. Avoid spraying water directly into ste danger of boil-over. Prevent runoff from fire control or dilution fr drinking water supply, or any natural waterway. Firefighters must u NIOSH-approved positive pressure self-contained breathing apparatu hazardous combustion or decomposition products and oxygen deficier <b>6. ACCIDENTAL RELEASE MEASU</b> Before cleaning any spill or leak, individuals involved in spill cleat Equipment. Plastic or rubber gloves, respirator, eye protection and a <u>Small Spills</u> : Wear appropriate protective equipment including gloves material such as vermiculite or sand to soak up the product and pla water or a material such as "speedy dry" to soak up material. Swee plastic brooms, shovels, dustpans) and place into a plastic container of <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) or release. Isolate immediate hazard area and keep unauthorized per done with minimal risk. Wear appropriate protective equipment include <b>7. HANDLING &amp; STORAGE INFORMA</b> Do not eat, drink or smoke when handling this product. Contents container(s). When used as intended, no additional protective equip contact is possible. Wash unintentional residues with soap and warm Use and store in a cool, dry, well-ventilated location (e.g., local ext sunlight. Avoid temperatures above 120 °F. Keep away from incompa damage. To avoid unintentional spraying keep cap in place when not Clean all spills promptly. <b>8. EXPOSURE CONTROLS &amp; PERSONAL P</b>	ASHA/NIOSH approved self- gear. Keep containers cool sed surfaces and to protect orage containers because of om entering sewers, drains, use full bunker gear including us to protect against potential ncies.	arge spills. -combustibl Do not us aterials (e.g. way from sp se if it can t s warrant. id puncturir oggles if ey at and dire from physic				



Page 3 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

8.3	Respiratory Protection:	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd No special respiratory protection is required under typical circumstances of use or handling. If
		necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR
		§1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces,
		E.C. member states, or Australia.
3.4	Eye Protection:	Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses
		with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb
		and concentrate irritants.
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive
		individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product,
		wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.
8.6	Body Protection:	No special body protection is required under typical circumstances of use and handling. If necessary,
		refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Light blue aerosol spray/mist
9.2	Odor:	Ethereal / hydrocarbon odor
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability	NA
9.9	Limits: Vapor Pressure:	
9.10	Vapor Density:	50 +/-5 psig @ 20 °C NA
0.11	Relative Density:	0.852 ± 0.012 (7.10 ± 0.1 lb/gal)
).12	Solubility:	Partial to complete
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	0% VOC
		10. STABILITY & REACTIVITY
	Stability:	
10.1		This product is stable.
	Hazardous Decomposition	
10.2	Hazardous Decomposition Products: Hazardous Polymerization:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).
10.2 10.3	Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).         Will not occur.
10.2 10.3 10.4	Products: Hazardous Polymerization:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).
10.2 10.3 10.4	Products: Hazardous Polymerization: Conditions to Avoid:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).         Will not occur.         Open flames, sparks and high heat.         None known.
10.1 10.2 10.3 10.4 10.5	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).         Will not occur.         Open flames, sparks and high heat.         None known.         11. TOXICOLOGICAL INFORMATION
10.2 10.3 10.4 10.5 11.1	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         IntroXICOLOGICAL INFORMATION         Inhalation:       YES         Absorption:       YES
10.2 10.3 10.4	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).         Will not occur.         Open flames, sparks and high heat.         None known.
10.2 10.3 10.4 10.5 11.1 11.2	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ).         Will not occur.         Open flames, sparks and high heat.         None known. <b>11. TOXICOLOGICAL INFORMATION</b> Inhalation:       YES       Absorption:       YES       Ingestion:       YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature,
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES Absorption: YES Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5
10.2 10.3 10.4 10.5 11.1	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES         Inhalation: YES       Absorption: YES         Inhalation: YES       Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproductive
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4 11.5	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES Absorption: YES Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4 11.5	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES         Inhalation: YES       Absorption: YES         Inhalation: YES       Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproducti harm. For more information go to www.P65Warnings.ca.gov
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES         Inhalation: YES       Absorption: YES         Inhalation: YES       Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproducti harm. For more information go to www.P65Warnings.ca.gov         This product is not reported to produce reproductive toxicity in humans.
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4 11.5	Products:         Hazardous Polymerization:         Conditions to Avoid:         Incompatible Substances:         Routes of Entry:         Toxicity Data:         Acute Toxicity:         Chronic Toxicity:         Suspected Carcinogen:         Reproductive Toxicity:         Mutagenicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES         Inhalation: YES       Absorption: YES         Inhalation: YES       Absorption: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproducti harm. For more information go to www.P65Warnings.ca.gov         This product is not reported to produce reproductive toxicity in humans.         This product is not reported to produce mutagenic effects in humans.
10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4 11.5	Products:         Hazardous Polymerization:         Conditions to Avoid:         Incompatible Substances:         Routes of Entry:         Toxicity Data:         Acute Toxicity:         Chronic Toxicity:         Suspected Carcinogen:         Reproductive Toxicity:         Mutagenicity:         Embryotoxicity:         Teratogenicity:         Reproductive Toxicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhalation: YES Absorption: YES Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproducti harm. For more information go to www.P65Warnings.ca.gov         This product is not reported to produce reproductive toxicity in humans.         This product is not reported to produce mutagenic effects in humans.         This product is not reported to produce embryotoxic effects in humans.
0.2 0.3 0.4 0.5 1.1 1.2 1.3 1.4 1.5	Products:         Hazardous Polymerization:         Conditions to Avoid:         Incompatible Substances:         Routes of Entry:         Toxicity Data:         Acute Toxicity:         Chronic Toxicity:         Suspected Carcinogen:         Reproductive Toxicity:         Mutagenicity:         Embryotoxicity:         Teratogenicity:	Oxides of carbon (CO, CO2) and sulfur (SO2).         Will not occur.         Open flames, sparks and high heat.         None known.         Inhelation: YES Ingestion: YES Ingestion: YES         This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product.         See section 4.4         See section 4.5         This product does not contain any chemicals known to the State of California to cause cancer or other reproducti harm. For more information go to www.P65Warnings.ca.gov         This product is not reported to produce mutagenic effects in humans.         This product is not reported to produce mutagenic effects in humans.         This product is not reported to cause teratogenic effects in humans.         This product is not reported to cause teratogenic effects in humans.         This product is not reported to cause teratogenic effects in humans.



Page 4 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

SDS Revision Date: 8/3/2023

12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	There is no specific data available for this product.		
12.2	Effects on Plants & Animals:	There are no specific data available for this product.		
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.		

## **13. DISPOSAL CONSIDERATIONS**

13.1	Waste Disposal:	Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:	California Waste Code: 331

## **14. TRANSPORTATION INFORMATION**

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.				
49 CFR (GND):	CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1000 mL) – until 12/31/2020 UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)	$\diamond$		
IATA (AIR):	ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 500 mL) UN1950, AEROSOLS, NON-FLAMMABLE, 2.2 (LTD QTY, IP VOL ≤ 820 mL)			
IMDG (OCN):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)	$\diamond$		
TDGR (Canadian GND):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE"	$\diamond$		
ADR/RID (EU):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)	$\diamond$		
SCT (MEXICO):	UN1950, AEROSOLS, 2.2 (CANTIDAD LIMITADA, IP VOL ≤ 1000 mL)	$\diamond$		
ADGR (AUS):	UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)	$\diamond$		
	be required by 49 CFR, IAT/ 49 CFR (GND): IATA (AIR): IMDG (OCN): TDGR (Canadian GND): ADR/RID (EU): SCT (MEXICO):	be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.         49 CFR (GND):       CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1000 mL) – until 12/31/2020 UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)         IATA (AIR):       ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 500 mL) UN1950, AEROSOLS, NON-FLAMMABLE, 2.2 (LTD QTY, IP VOL ≤ 820 mL)         IMDG (OCN):       UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)         TDGR (Canadian GND):       UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE"         ADR/RID (EU):       UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL)         SCT (MEXICO):       UN1950, AEROSOLS, 2.2 (CANTIDAD LIMITADA, IP VOL ≤ 1000 mL)		

## **15. REGULATORY INFORMATION**

15.1	SARA Reporting Requirements:			
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
15.4	CERCLA Reportable Quantity:	NA		
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. This material does not contain any material listed as a Hazardous Substance under the CWA. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.		
15.7	State Regulatory Information:	formation: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following stat criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesot Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).		
15.8				



Page 5 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! PRESSURIZED CONATINER; MAY BURST IF HEATED. CAUSES EYE IRRITATION. Use only as directed. Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persist: Get medical advice/attention. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	CAIG Laboratories, Inc.         12200 Thatcher Court         Poway, CA 92064-6876         Tel: +1 (800) CAIG-123 (244-4123)         Fax: +1 (858) 486-8398 fax         http://www.caig.com/
16.5	Prepared by:	ShipMate, Inc.         P.O. Box 787         Sisters, Oregon 97759-0787 USA         Tel: +1 (310) 370-3600         Fax: +1 (310) 370-5700         http://www.shipmate.com



Page 6 of 6 SDS-E-SN5S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 6.3

SDS Revision Date: 8/3/2023

### DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number	
RTECS No.	Registry of Toxic Effects of Chemical Substances Number	
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number	

#### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
IDLH	Immediately Dangerous to Life and Health		
NOHSC	National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	Short Term Exposure Limit		
TLV Threshold Limit Value			
TWA	Time Weighted Average		

#### FIRST AID MEASURES:


Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

### PERSONAL PROTECTION RATINGS:



#### OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic				
Irrit	Irritant				
NA	Not Available				
NR	No Results				
ND	Not Determined				
NE	Not Established				
NF	F Not Found				
SCBA	Self-Contained Breathing Apparatus				
Sens	Sensitization				
STOT RE	Specific Target Organ Toxicity – Repeat Exposure				
STOT SE	Specific Target Organ Toxicity – Single Exposure				

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA					
FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other source				
Temperature	of ignition				

	Temperature	of ignition
	LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or junite in the presence of an ignition source
L		explode of ignite in the presence of an ignition source
	UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
		explode or ignite in the presence of an ignition source
		*

#### HAZARD RATINGS:

0	Minimal Hazard	FLA				
1	Slight Hazard	FLA				
2	Moderate Hazard					
3	Severe Hazard					
4	Extreme Hazard					
ACD	Acidic	•				
ALK	Alkaline					
COR Corrosive						
W	Use No Water	HE/				
OX Oxidizer						
TREEOII	Radioactive					



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub> Lethal Dose (solids & liquids) which kills 50% of the exposed anim				
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm Concentration expressed in parts of material per million parts				
TD <sub>lo</sub>	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD <sub>lo</sub> , LD <sub>lo</sub> , & LD <sub>o</sub> or Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
тс	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٢		Ē		R	Ĩ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment