

PARAFFINIC

ZINC ALKYLDITHIOPHOSPHATE

DeoxIT® PROPRIETARY MIX

ALUMINUM OXIDE

First Aid:

4.1

SAFETY DATA SHEET

Page 1 of 6

SDS-E-L260AP Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/3/2023 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **DEOXIT® GREASE, TYPE L260AP (ALUMINUM PARTICLES)** 1.2 Chemical Name: 1.3 Synonyms: DeoxIT® Grease L260Ap PART NOS: Part No. L260-A1 (28 g); Part No. L260-A2G (2 grams); Part No. L260-A8 (226 g); Part No. L260-A8TP (226 g) Part No. L260-A360 (3.6 Kg); Part No. L260-A35 (15.9 Kg); 1.4 Trade Names: DeoxIT® Grease Type L260Ap Product Uses & Restrictions: 1.5 Lubricant for mechanical and electrical applications 1.6 CAIG Laboratories, Inc. 12200 Thatcher Court, Poway, CA 92064-6876 USA 1.7 Distributor's Address: 18 **Emergency Phone:** CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN205206) 1.9 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the 2.1 Hazard Identification: classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346. DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. Label Elements: 2.2 Hazard Statements (H): H304 - May be fatal if swallowed and enters airways. Precautionary Statements (P): P280 – Wear protective gloves and eye protection. P302 + P352 – IF ON SKIN - Wash with plenty of soap and water. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 - Do NOT induce vomiting. P321 - Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P405 - Store locked up. P501 - Dispose of contents/container through licensed treatment, storage or disposal facility 2.3 Other Warnings: KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm ppm ppm ES-ES-ES. STEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL PEAK PEL STEL **IDLH** OTHER **TWA** LITHIUM GREASE LUBRICATING NA NA NA 60-100 NΑ NA NF NF NF NA NA NA BASE OIL CONTAINS ONE OR MORE OF THE FOLLOWING INGREDIENTS DISTILLATES (PETROLEUM), 64742-65-0 SE7500000 265-169-7 NA 5 10 NF NF NF 100 10 NA RESP MIST SOLVENT-DEWAXED HEAVY REACH Reg. No. 01-2119471299-27 PARAFFINIC RESIDUAL OILS (PETROLIUM) 64742-01-4 NA 265-101-6 NA 5 10 NF NF NF 5 10 NA **RESP MIST** SOLVENT-REFINED REACH Reg. No. 01-2119488707-21 DISTILLATES (PETROLEUM), PY8040500 64741-88-4 NA 5 10 NF NF NF 5 10 NA RESP MIST 265-090-8 SOLVENT-DEWAXED HEAVY REACH Reg. No. 01-2119488706-23

4. FIRST AID MEASURES

NA

NA

<10.0

NA

NA

NA

NA

NF NF

NF NF

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk

IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an

0.2 NA NF NF NF 0.1

NF

NF

NA

NA

NA

NA

NA

NA

NA

100

RESP DUST

272-028-3

Not available; Skin Irrit. 2; Eye Dam. 1; Aq. Chronic 2; H315, H318, H411

NA

NA

REACH Reg. No. Non-Hazardous/Proprietary BD1200000


68649-42-3

1344-28-1

Ingestion:

TRADE SECRET

	unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an
	estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
<u>Eyes</u> :	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally.
<u>Skin</u> :	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes.
Inhala	<u>ion</u> : Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.



Page 2 of 6 SDS-E-L260AP

SDS Revision Date: 8/3/2023

Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, temporary gastrointestinal irritation. vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Overexposure in eyes may cause redness, itching and watering. Eyes: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite Skin: like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some 44 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eves and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 None reported by the manufacturer. 4.6 Target Organs: Eyes, Skin 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin). **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO,CO_x). 5.2 Extinguishing Methods: Water, Foam, CO₂, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep away from heat, sparks, open flame, and other sources of ignition. Container is not designed to contain pressure. Don not use pressure to empty container or it may rupture with explosive force. Normal shelf-life: 2-3 years 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.



Page 3 of 6 SDS-E-L260AP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 8/3/2023

8.1	T	8. EXPOSURE CON			reko		FRUIE	<u>. U I I</u>			T
	Exposure Limits: ppm (mg/m³)			GIH		NOHSC	l		OSHA		OTHER
	ppin (mg/m)	CHEMICAL NAME(S) DISTILLATES (PETROLEUM),	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	100	10	NA	RESP MIST
		RESIDUAL OILS (PETROLIUM) SOLVENT-REFINED	5	10	NF	NF	NF	5	10	NA	RESP MIST
		DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	5	10	NA	RESP MIST
		ALUMINUM OXIDE	0.2	NA	NF	NF	NF	0.1	NA	100	RESP DUST
8.2	Ventilation & Engineering Controls:	When working with large quanti that an eyewash station, sink or							al exhau	ıst vent	ilation, fans). Ensi
8.3	Respiratory Protection:	No special respiratory protection necessary, use only respirator §1910.134, or applicable U.S. provinces, E.C. member states,	y proteo state	ction au regulation	thorized p	er U.S. C	SHA's req	uireme	nt in 29	9 CFR	
8.4	Eye Protection:	Wear protective eyewear (e.g. product. Always use protectiv special hazard; soft lenses may	e eyew	ear whe	n cleanin	g spills or					
8.5	Hand Protection:	None required under normal sensitive individuals. When himpervious plastic gloves.									
8.6	Body Protection:	Impervious plastic gloves. No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. PHYSICA	L & C	HEM	ICAL F	PROPE	RTIES				
9.1	Appearance:	Amber									
9.2	Odor:	Ethereal / hydrocarbon odor									
		i Elliereai / livurocarbon ouoi									
	Odor Threshold:	NA									
9.3	Odor Threshold: pH:	,									
9.3 9.4		NA									
9.3 9.4 9.5	pH:	NA NA									
9.3 9.4 9.5 9.6	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling	NA NA NA	and Ope	en Cup)							
9.3 9.4 9.5 9.6	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range:	NA NA NA >240 °C (464 °F)	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.8	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.8 9.9	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F)	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72	and Ope	en Cup)							
9.3 9.4 9.5 9.7 9.7 9.9 9.10 9.11 9.12	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble	and Ope	en Cup)							
9.3 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.11 9.12	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow):	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA	and Ope	en Cup)							
9.3 9.3 9.4 9.5 9.5 9.6 9.7 9.9 9.9 9.11 9.12 9.13 9.15	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.9 9.10 9.11 9.13 9.14 9.15	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA	and Ope	en Cup)							
9.3 9.4 9.5 9.6 9.7 9.9 9.9 9.10 9.11 9.11 9.13 9.14	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA NA S.4-7.5 cSt NA			& REAC	CTIVIT	Υ				
9.3 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevelate NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA NA 10. ST.			k REAC	CTIVITY	Y				
9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.14 9.15 9.16 9.17	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevela NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA NA S.4-7.5 cSt NA	ABIL	ITY 8				ngerou	s pressi	ure.	
9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.17	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition	NA NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Cleveland NA < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA NA This product is stable.	ABIL	ITY 8				ngerou	s pressi	ure.	
9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2 10.3 10.4	pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products:	NA NA NA >240 °C (464 °F) > 244 °C (471 °F) COC (Clevelated NA) < 0.01 mm Hg @ 20 °C (68 °F) NA 0.72 Insoluble NA NA NA NA This product is stable. Oxides of carbon (CO, CO ₂) and	ABIL	ITY 8 (SO ₂). L				ngerou	s pressi	ure.	



NA

SAFETY DATA SHEET

Page 4 of 6 SDS-E-L260AP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/3/2023 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES 11.1 Routes of Entry: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is 11 2 Toxicity Data: available for some of the components of the product and is not presented in this document 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis). Suspected Carcinogen: 11.5 NO. The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346. 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product contains Alkyl Dithiophosphates (ZDDPs). Several ZDDPs have been reported to have weak mutagenic activity in cultured mammalian cells but only at concentrations that were toxic. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability There is no specific data available for this product. 12.1 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life Ethanol: EC₅₀ (Daphnia magna (water flea), 48h): 7.7 - 11.2 mg/L; LC₅₀ (Pimephales promelas (fathead minnow), 96h) > 100 mg/L; Alkyl Dimethyl Benzyl Ammonium Chloride: LC50 (Morone saxatilis (Striped bass, 96h): 10.4 - 19.1 mg/L 13. DISPOSAL CONSIDERATIONS 13 1 Waste Disposal Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. Special Considerations: 13.2 NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): 14.6 **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and of CFR 372; 68649-42-3 Zinc Alkyldithiophosphate 15.1 SARA Reporting Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 NA This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, 15.5 Other Federal Requirements: (Cosmetics) 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state 15.7 State Regulatory Information: criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Other Requirements



Page 5 of 6 SDS-E-L260AP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 8/3/2023

	16. OTHER INFORMATION						
16.1	Other Information:	gloves and eye protection. IF ON SKIN – Was advice/attention. IF SWALLOWED: Immediately Specific Treatment: refer to Section 4 of the Saf	NND ENTERS AIRWAYS. Avoid contact with the eyes. Wear protective h with plenty of soap and water. If skin irritation occurs: get medical call a POISON CENTER or doctor/physician. Do NOT induce vomiting. ety Data Sheet (First Aid). IF IN EYES - Rinse continuously with water present and easy to do – continue rinsing. Store locked up. KEEP REN .				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	EAST LABORATORIES, INC.				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 6 of 6 SDS-E-L260AP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 8/3/2023

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В	ELA		
С		H.	
D		H.	
Е			
F		H.	



Dust Respirator

ð

Airline Hood/Mask

or SCBA



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	── / ▼ ₩ >
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	ppm Concentration expressed in parts of material per million parts			
TDio	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®	(2)	®	Ð	®		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment