

Page 1 of 6 SDS-E-L260S-N10D

Jpt	ared to OSHA, ACC, ANSI, N	IOTISC, WITHVIIS, 2	001700 0 1212720				SDS NE	evision:	1.1	100	S Revisi	on Du	10. 2, 10,2010	
	T	1.	PRODUC	T & COMI	<u>PANY</u>	IDE	NTIFI	CAT	<u> ION</u>					
1.1	Product Name:	DEOXIT®	LITHIUM	I GREASI	E <i>PLU</i>	S DE	OXII	DIZE	R/Ll	JBE/F	PROT	ГЕС	TANT	
1.2	Chemical Name:	See ingredient	s listed in secti	on 3										
.3	Synonyms:	L260S-N10D,	10 oz. (284 g)											
.4	Trade Names:		ım Grease Dec	xidizer/Lube/F	rotectant	t .								
.5	Product Uses & Restrictions:	Grease Comp												
.6	Distributor's Name:	CAIG Laborate	ories, Inc.	01.0001.0										
.8	Distributor's Address: Emergency Phone:		er Court, Poway					<u>/001</u>	10050	00)				
.9	Business Phone / Fax:		C: +1 (703)	527-38877	+1 (800) 424	-9300	(CCN	N2052	06)				
.9	Business Priorie / Fax:	+1 (800) 224-4	1123											
			2. HA	ZARDS I	DENT	IFIC	ATIOI	N						
2.1	Hazard Identification:	according to the WARNING! HEATED. MA	is classified and classification FLAMMABLE AY BE HARMF KIN REACTION Aerosols 2; As	criteria of NO AEROSOL. UL IF SWALI L CAUSES S	HSC: 108 PRES LOWED / ERIOUS	38 (200 SURIZ AND E EYE IF	4) and A ED CC NTERS RRITATI	ADG C Ontail Airw	ode (Au	ustralia). MAY B	URST	IF		
2.2	Label Elements:		nents (H): H22					ccurizo	nd contr	ninor: m	ov bure	+ if		
		skin reaction. Precautionary handle until al hot surface, sp open flames o breathing gas/ Wear protecti SWALLOWED	parks, open flan r other ignition mist/spray. P2 ve gloves/prote Immediately all a POISON	s eye irritation.): P201 – Obt tions have ber nes and other source. P251 264 – Wash th ective clothing call a POISO CENTER/doct	tain speci on read and ignition s — Do not noroughly y/ eye pr N CENT or/physic	ial instract ind under ources to pierce with strotection ER/doction.	ructions erstood. No sm or burn oap and n/ face etor. P3	before P210 noking. n, even d wate protec 301+P3	e use. – Keep P211 after u r after l ction. 310 – I 338 – IF	P202 – p away i – Do no use. P20 handling P301+F IF SWA	Do not rom he spray 1 – Av. P280 310 – LOWE	in eat, on oid D – IF		>
2.3	Other Warnings:	Continue rinsin NOT induce vo P364 – Take of Protect from of contents/co	omer in sending. P337+P31: pomiting. P3324 off contaminated sunlight. Do retainer to a lice of UP AND OU	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmen T OF REACH	ation pers irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus ires exc e or dis	et medic s: get me ee.P405 ceeding posal fa	cal adv edical – Store 50 °C/ ecility (7	rice/atte advice/ e locke /122 °F TSDF).	ention. F attention d up. P . P501	2331 – 1. P362 110+P4	Do 2 + 12		'
2.3	Other Warnings:	Continue rinsin NOT induce vo P364 – Take of Protect from of contents/co	ng. P337+P31: omiting. P332+ off contaminated sunlight. Do r ntainer to a lice	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmen T OF REACH	ation pers irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus ires exe e or dis DREN	et medic s: get me se.P405 ceeding posal far	cal advedical - Store 50 °C/ acility (7	rice/atte advice/ e locker /122 °F TSDF).	ention. F attention d up. P . P501	P331 – 1. P362 110+P4 – Dispo	Do 2 + 12 ose		'
2.3	Other Warnings:	Continue rinsin NOT induce vo P364 – Take of Protect from of contents/co	ng. P337+P31: omiting. P332+ off contaminated sunlight. Do r ntainer to a lice	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmen T OF REACH	ation pers irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus res exie or dis DREN	et medic s: get me se.P405 ceeding posal far	cal advedical edical – Store 50 °C/acility (7	rice/atte advice/ e lockee /122 °F TSDF). ATIC EXPOSU OHSC	ention. Fattention dup. Pattention Pattention Description Descript	2331 – 1. P362 110+P4 – Dispo	Do 2 + 12 12 0se 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		'
2.3	Other Warnings:	Continue rinsin NOT induce vo P364 – Take of Protect from of contents/co	ng. P337+P31: omiting. P332+ off contaminated sunlight. Do r ntainer to a lice	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmen T OF REACH	ation pers irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus ires exe e or dis DREN	et medic s: get me e.P405 ceeding posal far	cal advedical edical – Store 50 °C/acility (7	ice/atte advice/ e lockee /122 °F TSDF). ATIC EXPOSUI OHSC ppm	ention. Frattention dup. Post P501	P331 – 1. P362 110+P4 – Dispo	Do 2 + 12 12 0se 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>
	Other Warnings:	Continue rinsin NOT induce vo P364 – Take of Protect from of contents/co	ng. P337+P31: omiting. P332+ off contaminated sunlight. Do r ntainer to a lice	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmen T OF REACH	ation pers irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus ires exi e or dis DREN ENT Acc	et medics: get me e.P405 ceeding posal fac.	cal advedical - Store 50 °C/acility (7	ATIC EXPOSUIO ES- [5]	ention. Fattention dup. Pattention Pattention Description Descript	2331 — 1. P362 110+P4 - Dispo IN AIR (I	Do 2 + 12 12 12 13 14 15 15 15 15 15 15 15	н отн	
НЕМ	-	Continue rinsin NOT induce vi P364 – Take c – Protect from of contents/co	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restant to a lice off UP AND OU	3 – If eye irrita P313 – If skir d clothing and not expose to t insed treatmen IT OF REACH	ation pers in irritation was befo emperatu it, storage OF CHIL	ists: Go occurs re reus ires exi e or dis DREN ENT Acc	et medics: get me e.P405 ceeding posal far	cal advedical - Store 50 °C/acility (7	ATIC EXPOSUIO OHSC PPI ESTEL PI	ention. Frattentior dup. P.	2331 — 1. P362 110+P4 - Dispo IN AIR (I	Do 2 +	H OTH	0)
HEM I	ICAL NAME(S)	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do represented to a lice of the property of the proper	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmer T OF REACH ON & INC EINECS No. 265-149-8	ation person irritation was before emperature, storage OF CHIL	ists: Go occurs re reus ures existe or dis DREN ENT ACC pp TLV (5)	et medics: get me e.P405 ceeding posal far . INFC STEL 1 NA	cal advedical - Store 50 °C/acility (7	ATIC EXPOSUIO OHSC PPM ES- E STEL NF I ICE/ATTEC	ention. Frattention dup. P. P501 N RE LIMITS ES-EAK PEI	1331 – 1. P362 110+P4 - Dispo IN AIR (I OSHA ppm . STEL	Do 2 + 12 12 0se 1 10 10 10 10 10 10 10 10 10 10 10 10 1	H OTH	0)
HEM! ETR	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT	Continue rinsin NOT induce vi P364 – Take ci – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restainer to a lice of UP AND OU OMPOSITION RTECS No. OA5504000 in Sens. 1B; Eye MI7700000	3 – If eye irrita P313 – If skir d clothing and not expose to t insed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8	in person irritation was before emperature, storage of CHIL REDI % 30-60 q. Tox. 3; 10-30	ists: Go occurs re reus ires exi e or dis DREN ENT ACC pp TLV (5) H305, H	INFC STEL 1 NA 1317, H32 500	cal advedical - Store 50 °C/licility (1	ATIC EXPOSU OHSC PPM ES- E STEL PI 122 1640 1	ention. Frattention. Frattention. Frattentior d up. Properties of the properties of	IN AIR (i OSHA ppm . STEL	Do 2 + 12 12 0se	H OTH MIST (120 CEFIC HS	0)
HEM! ETR	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT	Continue rinsin NOT induce vi P364 – Take ci – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do represented to a lice of the properties of	3 – If eye irrita P313 – If skir d clothing and not expose to t insed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac	in person irritation was before emperature, storage of CHIL REDI % 30-60 q. Tox. 3; 10-30 pute Aq. Tox.	ists: Go occurs re reus ires exi e or dis DREN ENT ACC pp TLV (5) H305, H 400 ix. 1; Ch	et medics: get me e.P405 ceeding posal far . INFC SIH	cal advedical - Store 50 °C/licility (1	ATIC EXPOSU OHSC PPM ES- E STEL PI 1640 1 ; H225, I	ention. Frattention dup. Policie per la proper de la prop	IN AIR (i OSHA ppm STEL NA	Do 2 + 12 12 0se 112 NA 1566, H41	H OTH MIST (120 CEFIC HS	0)
HEMI ETR IYDR	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT	Continue rinsin NOT induce vip P364 – Take Composed representation of contents/conte	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restainer to a lice of UP AND OU MPOSITION RTECS No. OA5504000 in Sens. 1B; Eye MI7700000 kin Irrit. 2; STOT- AL3150000	3 – If eye irrita P313 – If skir d clothing and not expose to t insed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2	in person irritation was before emperature, storage of CHIL REDI % 30-60 q. Tox. 3; 10-30 sute Aq. To. 5.0-15.0	ists: Go occurs re reus ires exi e or dis DREN ENT ACC pp TLV (5) H305, H	et medics: get me e.P405 ceeding posal far . INFC SIH	cal advedical - Store 50 °C/licility (1	ATIC EXPOSUIO OHSC PPM ES- E STEL PI 1640 1 ; H225, I	ention. Frattention. Frattention. Frattentior d up. Properties of the properties of	IN AIR (i OSHA ppm STEL NA	Do 2 + 12 12 0se	H OTH MIST (120 CEFIC HS	0)
ETR IYDR	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE	Continue rinsii NOT induce vi P364 – Take 0 – Protect from of contents/co KEEP LOCKE 3. CO CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restainer to a lice of UP AND OUT MPOSITIE RTECS No. OA5504000 in Sens. 1B; Eye MI7700000 kin Irrit. 2; STOT- AL3150000 ye Irrit. 2; STOT-	3 – If eye irrita P313 – If skir d clothing and not expose to t ensed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31	was before the control of the contro	ists: Go occurs re reus re reus exe or dis DREN ENT ACC PP TLV (5) H305, F 400 xx. 1; Ch 1800	et medics: get me e.P405 ceeding posal far INFC SIH	Cal advedical – Stor. 50 °C/. Callity (Total Stores of Callity (Total S	ATIC EXPOSU OHSC PPM ES- E STEL PI 1640 1 ; H225, 1 2375 1	ention. Frattention dup. Policie P501 NRE LIMITS ESAK PEI NR (5) NR 500 H304, H3 NR 240	IN AIR (i OSHA ppm . STEL NA	Do 2 + 112 112 12 13 14 14 15 15 16 16 16 16 16 16	H OTH MIST (120 CEFIC HS	0)
HEMI ETR YDR EPT	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE	Continue rinsin NOT induce vi P364 – Take 0 – Protect from of contents/cook KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restainer to a lice of DUP AND OUT DUP	3 – If eye irrita P313 – If skir d clothing and not expose to t insed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2	in person irritation was before emperature, storage of CHIL REDI % 30-60 q. Tox. 3; 10-30 sute Aq. To. 5.0-15.0	ists: Go occurs re reus re reus exe or dis DREN ENT ACC PP TLV (5) H305, F 400 xx. 1; Ch 1800	et medics: get me e.P405 ceeding posal far INFC SIH	Cal advedical — Store 50 °C/ (cility (1)	ATIC EXPOSU OHSC PPM ES- E STEL PI 1640 1 ; H225, 1 2375 1	ention. Frattention dup. Policie P501 NRE LIMITS ESAK PEI NF (5) NF (5) 1304, H3	IN AIR (i OSHA ppm . STEL NA	Do 2 + 12 12 0se 112 NA 1566, H41	H OTH MIST (120 CEFIC HS	0)
HEMI ETR YDR EPT CET	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9 Liq. Gas.; H28	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restrict the sunlight of the sunlight of the sunlight. Do restrict the sunlight of	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmer T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3; H225, H31 204-696-9	was before the control of the contro	ists: Go occurs re reus re reus re reus en cres exce or dis DREN ENT ACC pp TLV (5) H305, H 400 ix. 1; Ch 1800	et medics: get me e.P405 ceeding posal far . INFC IN	Cal advedical – Stor 50 °C/ Cicility (1) CALCILITY	ATIC EXPOSU OHSC Ppm ES- STEL PI 1640 I H225, H225, H	Pention. Frattention. Frattention. Frattention d up. Properties of the properties of	IN AIR (i OSHA ppm STEL NA 15, H336 0 NA	Do 2 + 12 12 13 14 15 16 16 16 16 16 16 16	H OTH MIST (120 CEFIC HS	0)
HEMI ETR YDR EPT CET	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE	Continue rinsin NOT induce vi P364 – Take 0 – Protect from of contents/cook KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restainer to a lice of DUP AND OUT DUP	3 – If eye irrita P313 – If skir d clothing and not expose to t ensed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31	was before the control of the contro	ists: Go occurs re reus re reus exe or dis DREN ENT ACC PP TLV (5) H305, F 400 xx. 1; Ch 1800	et medics: get me e.P405 ceeding posal far . INFC IN	Cal advedical – Stories of Storie	ATIC EXPOSU OHSC Ppm ES- STEL PI 1640 I H225, H225, H	ention. Frattention dup. Policie P501 NRE LIMITS ESAK PEI NR (5) NR 500 H304, H3 NR 240	IN AIR (i OSHA ppm STEL NA 15, H336 0 NA	Do 2 + 12 12 13 14 15 16 16 16 16 16 16 16	H OTH MIST (120 CEFIC HS	0)
HEMI ETR YDR EPT CET	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9 Liq. Gas.; H28	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do not not not not not not not not not no	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmer T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31 204-696-9 NA	was before the control of the contro	ists: Go occurs re reus re reus re reus e or dis DREN ENT ACC pp TLV (5) H305, H 400 x. 1; Ch 1800	et medics: get me e.P405 ceeding posal far . INFC INFC GIH	Cal advedical – Stories of Storie	ATIC EXPOSU OHSC Ppm ES- STEL PI 1640 I H225, H225, H	Pention. Frattention. Frattention. Frattention d up. Properties of the properties of	IN AIR (i OSHA ppm STEL NA 15, H336 0 NA	Do 2 + 12 12 13 14 15 16 16 16 16 16 16 16	H OTH MIST (120 CEFIC HS	0)
HEMI PETR IYDR IEPT CET CET	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE ONE ON DIOXIDE	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9 Liq. Gas.; H28	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do not not not not not not not not not no	3 – If eye irrita P313 – If skir d clothing and not expose to t nsed treatmer T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31 204-696-9 NA	was before the person irritation was before the person was better	ists: Go occurs re reus re reus re reus e or dis DREN ENT ACC	et medics: get me e.P405 ceeding posal far INFC SIH	Cal advedical – Store 50 °C/ Cacility (Topical Store 100 PRM) PRM 100	ATIC EXPOSU OHSC PPM ES- STEL PI 1640 1; H225, H 22375 1 9000	ention. Frattention dup. P.	IN AIR (IOSHA PAR NA NA NA NA	Do 2 + 12 12 12 13 14 15 15 16 16 16 16 16 16	H OTH MIST (120 CEFIC HS 0 0 0 0 A	O) PA
PETR HYDR HEPT ACET	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9 Liq. Gas.; H28t NA Ingestion: Eyes: Skin:	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restant to a lice of DUP AND OUT DIP POSITION RTECS No. OA5504000 in Sens. 1B; Eye MI7700000 kin Irrit. 2; STOT- AL3150000 ye Irrit. 2; STOT- STEF6400000 NA 4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are resulted wash thorough	3 – If eye irrita P313 – If skird clothing and not expose to t nsed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31 204-696-9 NA FIRST All onot induce of the patien erson. Contact the treatment of the patien onot likely; how st 15 minutes I sly with soap and	was before the meter of partial time and the meter of partial time and the meter of	ists: Go occurs re reus re reus re reus res exce or dis DREN ENT ACC pp TLV (5) H305, H 400 NA Source rest Potaterial product per and	et medics: get medical possible medi	Cal advedical — Store 50 °C/ Collity (1) PRM NO IES- TWA S NF 20, H400 1 TOX. 2: 1185 2 NF Das be to offer ontrol Cogested on the eds, occording to the eds, occording the eds.	ATIC EXPOSUIO OHSC PPP STEL PI 102 1640 NF 102 1640 NF 102 174 175 175 175 175 175 175 175 175 175 175	PRICE OF THE PRICE	IN AIR (IOSHA) STEL NA O NA O SHA O NA O SHA O NA O SHA O NA O NA O NA O STEL NA O NA O SHA O NA O NA O SHA O NA O SHA O NA O SHA O NA O SHA O NA O NA O NA O NA O NA O SHA O NA O NA	Do 2 + -12 12 12 13 15 16 16 16 16 16 16 16	MIST (120 CEFIC HS O O O O O O O O O O O O O O O O O O O	or mi
CHEMIN PETRICAL PROPERTY OF THE PETRICAL PROPE	ICAL NAME(S) OLEUM DISTILLATES, OTREATED, LIGHT ANE ONE ONE ON DIOXIDE	Continue rinsin NOT induce vi P364 – Take C – Protect from of contents/co KEEP LOCKE 3. CC CAS No. 64742-47-8 Asp. Tox.1; Sk 142-82-5 Flam. Liq. 2; S 67-64-1 Flam. Liq. 2; E 124-38-9 Liq. Gas.; H28i NA Ingestion: Eyes: Skin:	ng. P337+P31: pmiting. P332- off contaminated sunlight. Do restant to a lice of DUP AND OUT TO DUP INTERCONDUCTOR TO DUP AND OUT TO DUP AND O	3 – If eye irrita P313 – If skird clothing and not expose to t nsed treatmen T OF REACH ON & INC EINECS No. 265-149-8 Irrit. 2B; Acute A 205-563-8 SE 3; Asp. 1; Ac 200-662-2 SE 3, H225, H31 204-696-9 NA FIRST All o not induce the patien erson. Contact of the patien erson. Contact of time at whice not likely; how st 15 minutes lily with soap and	was before the medical property of the mean character of the mean	ists: Go occurs re reus re reus re reus en re discours re reus res exce or discours re reus res exce or discours re reus res exce or discours res exce or discours res reus reus reus reus reus reus re	et medics: get me de.P405 ceeding posal far seeding posal far seed	Cal advedical — Store 50 °C/ Collity (Toler 100 Col	ATIC EXPOSU OHSC PPP STEL PI 1640 I 1640 I 19000 I	PRICE OF THE PRICE	NA NA NA NA NA NA NA NA	Do 2 + 12 12 12 13 15 16 16 16 16 16 16 16	MIST (120 CEFIC HS O O O O O O O O O O O O O O O O O O O	or mi



Page 2 of 6

SDS-E-L260S-N10D Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/10/2018 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, temporary gastrointestinal irritation. vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. 4.3 Symptoms of Overexposure: If product is swallowed, may cause gastrointestinal disturbance. Ingestion: Eyes: Exposure may cause eye irritation. Symptoms of overexposure may include redness, itching, irritation and May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Frostbite like effect to skin. 4 4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of dust can cause ccoughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. Chronic Health Effects: 4.5 Non-irritating when used as directed. Possible allergic dermatitis in some sensitive individuals. 46 Target Organs: Eyes, Skin Medical Conditions 47 Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin) or impaired kidney function may be more **FLAMMABILITY** 2 susceptible to the effects of this substance. PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Level 2 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO_x, hydrocarbons). Extinguishing Methods: 5.2 CO₂, Dry Chemical, Alcohol foam, Dry Chemical. Use water spray to cool containers. 5.3 Firefighting Procedures: Keep containers cool until well after the fire is out. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentional residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Storage & Handling: 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may

contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and

bodies of water.



Page 3 of 6 SDS-E-L260S-N10D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 2/10/2018

8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH NOHSC OTHER Exposure Limits: OSHA 8.1 ES-ESppm (mg/m³) STEL ES-STEL CHEMICAL NAME(S) TI V TWA PEAK PFI IDI H PETROLE UM DISTILLATES MIST (1200) (5) NA NF NF NF (5) NA NA 750 **HEPTANE** 400 500 400 1640 NF 500 NA **ACFTONE** 1800 NA 1185 2375 NF 2400 NA 2500 **CARBON DIOXIDE** 5000 30000 5000 NF 5000 30000 40000 9000 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls that an eyewash station, sink or washbasin is available in case of exposure to eyes Respiratory Protection: 8.3 No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Eye Protection: 8.4 Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Hand Protection: 8.5 Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. Use heat-protective gloves when handling product at elevated temperatures. 8.6 Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Colorless to pale yellow liquid. Appearance: Aerosol. 9.2 Mild odor 9.3 Odor Threshold: NA NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: 9.9 Vapor Pressure: NA 9.10 Vapor Density: 5.08 9.11 Relative Density: NA 9.12 Solubility: Negligible 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA 9.16 Viscosity L260DN Grease = 170-180 cSt @ 40 °C 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Products: Discard solution. 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances: 10.5 Avoid extreme heat and ignition sources. Store away from oxidizers. 11. TOXICOLOGICAL INFORMATION Absorption: YES Routes of Entry Inhalation: YES 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this mixture, found in scientific literature, are presented below: Petroleum Distillates: LD₅₀ (oral, rat) > 5000 mg/kg; LD₅₀ (dermal, rabbit) > 5000 mg/kg 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity This material may aggravate any pre-existing skin condition (e.g., dermatitis) 11.5 Suspected Carcinogen: NA



Page 4 of 6 SDS-E-L260S-N10D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/10/2018 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices NE 11 9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: This material should be kept out of sewage and drainage systems and all bodies of water. Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this SDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: Contact the federal, state or provincial environmental authority to determine suitability for recycling and or proper disposal requirements. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/20 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 14.2 IATA (AIR): CONSUMER COMMODITY, 9, ID8000 (IP VOL ≤ 0.5 L) (Y) UN1950, AEROSOLS, FLAMMABLE, 2.1 (IP VOL > 1.0 L) 14.3 IMDG (OCN): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) TDGR (Canadian GND): 144 UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 14.5 ADR/RID (EU): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) SCT (MEXICO): 14.6 UN1950, AEROSOLES, 2.1 (CANT. LTDA., IP VOL ≤ 1.0 L) ADGR (AUS): 14.7 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 15. REGULATORY INFORMATION 15.1 SARA Reporting This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5, D2B (Flammable Aerosol, Other Toxic Effects).

Page 5 of 6

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 2/10/2018

	, ,	
		15. REGULATORY INFORMATION – cont'd
15.7	State Regulatory Information:	Heptane is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous
10.7	State (regulater) illientation.	Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA).
		Acetone is found on the following state criteria lists: CA, DE, MA, MN, NJ, NY, PA, WA, and WI.
		Carbon Dioxide is found on the following state criteria list: FL, MA, MN, PA, and WA.
		No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov
15.8	Other Requirements:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER; MAY BURST IF HEATED. MAY BE HARMFUL IF SWALLOWED AND ENTERS AIRWAYS. Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Do not spray on open flames or other ignition source. Do not pierce or burn, even after use. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician. Do NOT induce vomiting. If skin irritation occurs: get medical advice/attention. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). Overexposure may cause dizziness and loss of concentration. At higher levels, CNS depression and cardiac arrhythmia may result from exposure. Vapors displace air and can cause asphyxiation in confined spaces. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

Page 6 of 6

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 2/10/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	0 Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Ε			
F		THE SECOND	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic		
Irrit	Irritant		
NA	Not Available		
NR	No Results		
ND	Not Determined		
NE	Not Established		
NF	Not Found		
SCBA	Self-Contained Breathing Apparatus		
Sens	Sensitization		
STOT RE	Specific Target Organ Toxicity – Repeat Exposure		
STOT SE	STOT SE Specific Target Organ Toxicity – Single Exposure		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \ \ \ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	\sim 2
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \
₩	Use No Water	HEALTH
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS Canadian Workplace Hazardous Material Information System DOT U.S. Department of Transportation		
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	TSCA U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	*	(2)		\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\diamondsuit			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment