

HYDROXYSULTAINE

CAIG PROPRIETARY BLEND

SAFETY DATA SHEET

Page 1 of 5

SDS-E-CL-DSC Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 1272/2008/EC Standards SDS Revision Date: 8/2/2023 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: CAIG LABORATORIES DISC & SCREEN CLEANER 12 Chemical Name Cleaning Solution 1.3 Synonyms: NA 14 Trade Names CAIG Disc & Screen Cleaner Part Nos. CL-DSC-8 (236 mL) **CL-DSC-16** (472 mL) CL-DSC-32 (944 mL) 1.5 Product Uses & Restrictions: Cleaner for Discs, Screens and Equipment 1.6 Distributor's Name: CAIG Laboratories, Inc. 12200 Thatcher Court, Poway, CA 92064-6876 USA 17 Distributor's Address 1.8 Emergency Phone CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN205206) 1.9 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! CAUSES EYE IRRITATION. CAUSES SKIN IRRITATION. Classification: Eye Irrit. 2; Skin Irrit. 2 22 Label Flements: Hazard Statements (H): H319 - Causes eye irritation. H315 - Causes skin irritation. Precautionary Statements (P): P210 - Keep away from heat, hot surfaces, sparks, open flames P264 - Wash thoroughly after handling. and other ignition sources. No smoking. P303+P361+P353 - IF ON SKIN: Take of immediately all contaminated clothing. Rinse skin with water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists get medical advice/attention. P370+P378 - In case of fire use Water, Foam, CO₂, Dry Chemical, Halon (if authorized). P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). Other Warnings: 2.3 KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm FS. FS-FS. STEL STEL IDLH CHEMICAL NAME(S) RTECS No. EINECS No. TLV TWA STEL PEAK PEL OTHER CAS No. 7732-18-5 ZC0110000 231-191-2 30-100 NA NA NF NF NF NA NA NA WATER (AQUA/EAU) 64-17-5 KQ6300000 200-578-6 ≤ 24 1000 | 3000 | 1000 | 1800 | NF 1000 | 1900 | 3300 ETHANOL (SD ALCOHOL 40B) Flam.Liq.2; H225 COCAMIDOPROPYL 68139-30-0 NA 268-761-3 ≤ 1.0 NA NA NF NF NF NA NA NA

4. FIRST AID MEASURES

≤ 1.0

NA

NA NF NF NF NA NA NA

NA

NA

NA

4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an approximate the property of the patient of
			unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally.
		<u>Skin</u> :	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes.
		Inhalation:	Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.
		Eyes:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.
		<u>Skin</u> :	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.
		Inhalation:	None expected.
		-	



Page 2 of 5 SDS-E-CL-DSC

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 8/2/2023

		1213C, WHIWIS & 1212/2000/EC St	andardo		10001	CEVISIOII. I	-	10001	(OVIOIOTI E	Jale. 0/2/20	20
		4. FIRS	T AID MEA	ASURE	S – co	nt'd					
4.3	Symptoms of Overexposure:	Overexposure in eyes may control itching, and irritation of affect some sensitive individuals.	ause redness, it	ching and	watering.	Symptor	ns of sk in reac	(in overe) tions (e.g	posure ., rashes	may includes, welts, de	de redness ermatitis) ir
4.4	Acute Health Effects:	Moderate irritation to eyes.									
4.5	Chronic Health Effects:	No harmful or chronic health	effects are expe	cted to occ	ur from a s	single ac	cidenta	l ingestion	n.		
4.6	Target Organs:	Eyes	•								
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, othe			orders of t	the HE	ALTH				1
	Aggravated by Exposure.	target organs (eyes, skin, and	d respiratory syst	tem).		FL	AMMA	BILITY			1
						PH	YSICA	L HAZA	RDS		0
						PR	OTEC	TIVE EC	UIPME	NT	В
						EY	ES	SKIN			
		5 FIG	REFIGHTIN	IC ME	SIIDE	9					
5.1	Fire & Explosion Hazards:	Keep away from heat, lit ci					ainer c	losed W	/hen		
5.0	·	exposed to high temperatures of carbon (e.g., CO, CO ₂) and	s, may produce h I nitrogen (e.g., N	nazardous NO _x) and s	decompos						
5.2	Extinguishing Methods: Firefighting Procedures:	Water, Foam, CO ₂ , Dry Chem						,			
5.3	Fireigning Procedures:	As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.									
		6. ACCIDE	NTAL RE	LEASE	MEAS	URE	S				
		Equipment (PPE). For small spills (e.g., < 1 of Maximize ventilation (open absorbent material and place local, state and federal regul soap. Remove any contamin For large spills (e.g., ≥ 1 gamaterial (e.g., sand or earth), recovery or disposal and solic promptly and wash affected and open bodies of water.	doors and wind into appropriate lations. Wash a lated clothing and llon (3.8 L)), de Use ONLY not diking material	lows) and e closed coall affected d wash tho eny entry to separate to separate	secure all ontainer(s) areas and roughly be o all unprotools for re e containe	I source for disp d outside fore reus otected ecovery ers for pro	s of igiosal. De of corse. individuand cleoper dis	nition. F Dispose on Intainer wind Ials. Dikanup. Tr Isposal. R	Remove f proper th plent e and co ansfer li emove co	spilled maly in according of warm ontain spi quid to cocontamina	aterial with rdance with water and Il with iner ntainers fo ted clothing
		7. HANDLIN	IC & STOE	DAGEI	NEODI	MATIC) NI				
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke w	hen handling this	s product.	Handle as	s to avoid	d puncti				
7.2	Storage & Handling:	residues with soap and warm Use and store in a cool, dry	, well-ventilated	location (e.g., local	exhaust	ventila	tion, fans	away	from heat	and direc
7.3	Special Precautions:	 sunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers ma contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems an bodies of water. 									
		8. EXPOSURE CO	NTROLS 8	& PERS	ONAL	PRO	TEC	ΓΙΟΝ			
8.1	Exposure Limits:		ACGIH		NOHSC			OSHA		OTHER	
	ppm (mg/m³)	CHEMICAL NAME(S) ETHANOL (SD ALCOHOL 40B)	TLV STEL 1000 3000	ES- TWA 1000	ES-STEL 1800	ES- PEAK NF	PEL 1000	STEL 1900	IDLH 3300		
8.2	Ventilation & Engineering Controls:	When working with large qua	ntities of product	, provide a	dequate ve	entilation	(e.g., l	ocal exha		ilation, far	ns). Ensur
8.3	Respiratory Protection:	that an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.									
8.4	Eye Protection:	Avoid eye contact due to irritation potential. Wear protective eyewear (e.g., safety glasses with side-shield) when handling large amounts (≥1L) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.									



Page 3 of 5 SDS-E-CL-DSC

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 8/2/2023

	0 1	TYPOOURE CONTROL O O REPOONAL PROTECTION
0.5		EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.5	Hand Protection:	Avoid skin contact due to irritation potential. Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected.
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Clear, colorless liquid
9.2	Odor:	Mild odor
9.3	Odor Threshold:	NA NA
9.4	pH:	6.5-8.5
9.5	Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling Range:	NA NA
9.7	Flashpoint:	NA NA
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	NA NA
9.10	Vapor Density:	>1
9.11	Relative Density:	0.90-0.94
9.12	Solubility:	miscible
9.13	Partition Coefficient (log Pow):	NA NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	1-10 cPs
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂)
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and store away from oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this mixture, found in scientific literature, but is not presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	NA
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.
13.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic - ignitable).
13.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic - ignitable).



Page 4 of 5 SDS-E-CL-DSC

Prepa	ared to OSHA, ACC, ANS	SI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 8/2/2023					
		14. TRANSPORTATION INFORMATION					
The I	pasic description (ID Num	hber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional					
14.1	riptive information may be 49 CFR (GND):	required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. NOT REGULATED					
14.1	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
		15. REGULATORY INFORMATION					
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.					
15.4	CERCLA Reportable Quantity (RQ):	NA					
15.5	Other Federal Requirements:	NA					
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B2, D2B (Flammable Liquids Other Toxic Effects)					
15.7	State Regulatory Information:	Ethanol is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), California Proposition 65 ((CA65) ethanol in alcoholic beverages) and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania					
15.8	Other Requirements:	Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm.					
		For more information go to www.P65Warnings.ca.gov .					
		16. OTHER INFORMATION					
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. CAUSES SKIN IRRITATION. Use only as directed. Discontinue use if irritation develops. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash thoroughly after handling. IF ON SKIN: Take of immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. In case of fire use Water, Foam, CO ₂ , Dry Chemical, Halon (if authorized). Store in a well-ventilated place. Keep cool. KEEP OUT OF REACH OF CHILDREN.					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com					



Page 5 of 5 SDS-E-CL-DSC

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 8/2/2023

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
RTECS No.	No. Registry of Toxic Effects of Chemical Substances Number			
EINECS No. European Inventory of Existing Commercial Chemical Substances Nur				

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has		
	stopped receives manual chest compressions and breathing to circulate blood		
and provide oxygen to the body.			

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		H.	
Е			
F		H.	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	─ / ₹ ₩ >
₩	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
Lethal concentration (gases) which kills 50% of the exposed animal			
Concentration expressed in parts of material per million parts			
TD _{io} Lowest dose to cause a symptom			
TCLo Lowest concentration to cause a symptom			
D _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effects			
International Agency for Research on Cancer			
National Toxicology Program			
Registry of Toxic Effects of Chemical Substances			
Bioconcentration Factor			
Median threshold limit			
Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(A)	(2)	(3)	\odot	(49)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment